BenchGoods

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 104.25, Waist: 87.5, Hips: 111
SIZE 14

Notes



How to print

Printing

Once your Calibration Test Page has been printed, measure the 4”x 4” (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

BenchGoods

SIZE 14
Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "FRONT", MAIN FABRIC: Cut 1
2. "SKIRT FRONT", MAIN FABRIC: Cut 1
3. "BACK", MAIN FABRIC: Cut 2
4. "SKIRT BACK", MAIN FABRIC: Cut 2
5. "POCKET BAG", LINING: Cut 4
6. "BACK CLOSURE COLLAR STAND", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 0.92 none (3/8 in)
4. Stretch factor horizontal 0.92 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Front length from HPS to waist seam 45.98 cm (18 1/8 in)
7. Center front length to waist seam 37.05 cm (14 5/8 in)
8. Center back length to waist seam 41.35 cm (16 1/4 in)
9. Across chest 50.70 cm (20 in)
10. Across front 40.04 cm (15 3/4 in)
11. Across back 33.68 cm (13 1/4 in)
12. Top side seam 18.10 cm (7 1/8 in)
13. Armhole length front 27.12 cm (10 5/8 in)
14. Armhole length back 32.12 cm (12 5/8 in)
15. Neck opening 12.75 cm (5 in)
16. Front neck drop 8.93 cm (3 1/2 in)
17. Back neck drop 3.51 cm (1 3/8 in)
18. Bust dart to bust dart 24.16 cm (9 1/2 in)
19. Seam allowance poc max 3.00 none (1 1/8 in)
20. Back invisible zipper length 141.00 cm (55 1/2 in)
21. Pocket entry length 13.15 cm (5 1/8 in)
22. Waist to pocket length 7.67 cm (3 in)
23. Skirt side seam 100.46 cm (39 1/2 in)
24. Hemline sweep 193.72 cm (76 1/4 in)

25. Center front length from waist seam to hem 100.47 cm (39 1/2 in)
26. Center back length from waist seam to hem 100.46 cm (39 1/2 in)
27. Stand height 3.00 cm (1 1/8 in)
28. Collar length 48.03 cm (18 7/8 in)
29. Collar button diameter 1.00 cm (3/8 in)
30. Collar buttons quantity 1.00 pc

BenchGoods

Paper Size: A4;
Print Actual Size (100% Scale);




5
POCKET BAG
LINING: Cut 4
1/1


SKIRT
MAIN FAB




1
FRONT


MAIN FABRIC: Cut 1
1/5





2/1



2

FRONT

BRIC: Cut 1






3
BACK
MAIN FABRIC: Cut 2
ZIP



3/2





4/3







5/2

5/3

5/4





6/1





6/3



4

SKIRT BAC

MAIN FABRIC:



7/3





CK

Cut 2



8/1

8/2

8/3

8/4

8/5



8/7



9/2

9/3





9/6

9/7

10/1







10/5

10/6

10/7



6

CK CLOSURE COLLAR STAND

MAIN FABRIC: Cut 2

FUSIBLE INTERFACING: Cut 2

11/2
FOLD



11/3

11/4

11/5

11/6

11/7