

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 82.5, Waist: 66, Hips: 90.25
SIZE 0

Notes

How to print Printing

Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



SIZE 0

Seam Allowance: 1 (3/8 in)


Pattern pieces:

1. "WAISTBAND", MAIN FABRIC: Cut 1
2. "PANTS", MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 0.92 none (3/8 in)
4. Stretch factor horizontal 0.92 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Low hips 42.26 cm (16 5/8 in)
7. Thigh 54.72 cm (21 1/2 in)
8. Knee 33.65 cm (13 1/4 in)
9. Bottom opening 39.14 cm (15 3/8 in)
10. Crotch height 82.01 cm (32 1/4 in)
11. Inseam length 17.88 cm (7 in)
12. Side length 39.22 cm (15 1/2 in)
13. Waistband width 3.30 cm (1 1/4 in)
14. Waistband elastic width 3.30 cm (1 1/4 in)
15. Waistband length 38.02 cm (15 in)
16. Waistband elastic length 55.20 cm (21 3/4 in)

Paper Size: LETTER;
Print Actual Size (100% Scale);



2


PANTS

MAIN FABRIC: Cut 2


1

1

1/1




1/3



1/4

1/5

2/1




2/2




LASTIC: LENGTH 21 3/4" (55.2) cm WIDTH 1 1/4" (

2/3




3.3) cm

2/4



2/5



3/2

FOLD

SIDE SEAM

WAISTLINE

3/3

CENTER ERON

WAISTLIN

3/4

JE

SIDE
SEAM

3/5