

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 119.25, Waist: 104.75, Hips: 125.75

Notes

How to print Printing

Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Seam Allowance: 1 (3/8 in)

Pattern pieces:


1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "SLEEVE", MAIN FABRIC: Cut 2
4. "FRONT BOTTOM RUFFLE", MAIN FABRIC: Cut 2
5. "BACK BOTTOM RUFFLE", MAIN FABRIC: Cut 1
6. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
7. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1
8. "COLLAR STAND", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2

Pattern Specs (Circumferences are divided by 2):


1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Seam allowance p max 1.50 none (5/8 in)
4. Stretch factor 1.00 none (3/8 in)
5. Stretch factor horizontal 1.00 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Front neck drop 9.42 cm (3 3/4 in)
8. Button diameter 1.00 cm (3/8 in)
9. Front buttons quantity 7.00 pc
10. Front length from HPS to hem 58.13 cm (22 7/8 in)
11. Across chest 62.62 cm (24 5/8 in)
12. Center front length to hem 48.88 cm (19 1/4 in)
13. Center back length to hem 51.27 cm (20 1/8 in)
14. Across front 47.01 cm (18 1/2 in)
15. Across back 38.75 cm (15 1/4 in)
16. Across shoulders 43.54 cm (17 1/8 in)
17. Side seam 22.72 cm (9 in)
18. Waist 56.25 cm (22 1/8 in)
19. Hemline sweep 63.20 cm (24 7/8 in)
20. Armhole length front 26.86 cm (10 5/8 in)
21. Armhole length back 31.27 cm (12 1/4 in)
22. Neck opening 16.88 cm (6 5/8 in)
23. Neckline length 47.45 cm (18 5/8 in)

- 24. Back neck drop 3.79 cm (1 1/2 in)
- 25. Shoulder width 12.89 cm (5 1/8 in)
- 26. Bust dart to bust dart 28.57 cm (11 1/4 in)
- 27. Sleeve length 63.69 cm (25 1/8 in)
- 28. Sleeve gather cap 16.93 cm (6 5/8 in)
- 29. Sleeve upper arm width 48.23 cm (19 in)
- 30. Sleeve opening 27.43 cm (10 3/4 in)
- 31. Ruffle front width 124.30 cm (48 7/8 in)
- 32. Ruffle back width 103.91 cm (40 7/8 in)
- 33. Ruffle length 15.00 cm (5 7/8 in)
- 34. Gather ruffle 101.43 cm (39 7/8 in)
- 35. Stand height 3.00 cm (1 1/8 in)
- 36. Collar length 47.45 cm (18 5/8 in)

Paper Size: LETTER;
Print Actual Size (100% Scale);



1/1




2


BACK

MAIN FABRIC: Cut 1


1/2



MAIN FABRIC: Cut 2



1/3



1/4

4


FRONT BOTTOM RUFFLE

FOLD

8


COLLAR STAND
MAIN FABRIC CUT 2
RUFFLE INTERFACING CUT 2

1/5



1/6

GATHER



6

FRONT NECK FACING


MAIN FABRIC: Cut 2

FUSIBLE INTERFACING: Cut 2

1/7

CENTER FRONT SEAM



2/1




2/2



2/3






2/4



7


BACK NECK FACING
MAIN FABRIC, CUT 1
FUSIBLE INTERFACING, CUT 1



2/5

2/6

2/7





SLEEVE

MAIN FABRIC: Cut 2




3/1


3/2

EASE




3/3






3/5




3/6

3/7




4/1




4/2

4/3



4/4



4/5



4/6

4/7

5/1


BACK E
MAI



5/2




HEM 3/8"
(1) cm



5/3


G

5/4




GATHER

5/5



5/6



5/7

5


BOTTOM RUFFLE

IN FABRIC: Cut 1

6/1

6/2

6/3




6/4

6/5



6/6



6/7