

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 124.25, Waist: 110.5, Hips: 130.75

Notes

How to print Printing


Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Seam Allowance: 1 (3/8 in)


Pattern pieces:


1. "PANTS FRONT", MAIN FABRIC: Cut 2
2. "PANTS BACK", MAIN FABRIC: Cut 2
3. "WAISTBAND FRONT", MAIN FABRIC: Cut 1
4. "WAISTBAND BACK", MAIN FABRIC: Cut 1
5. "FUSIBLE INTERFACING FOR WAISTBAND", FUSIBLE INTERFACING: Cut 1

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 0.92 none (3/8 in)
4. Stretch factor horizontal 0.92 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Low hips 70.44 cm (27 3/4 in)
7. Thigh 49.05 cm (19 1/4 in)
8. Knee 52.23 cm (20 5/8 in)
9. Bottom opening 57.95 cm (22 7/8 in)
10. Front rise 31.36 cm (12 3/8 in)
11. Back rise 46.34 cm (18 1/4 in)
12. Crotch height 31.65 cm (12 1/2 in)
13. Inseam length 52.05 cm (20 1/2 in)
14. Pants side seam length 83.93 cm (33 in)
15. Waistband width 3.30 cm (1 1/4 in)
16. Waistband elastic width 3.30 cm (1 1/4 in)
17. Eyelet diameter 0.70 cm (1/4 in)
18. Cord length 116.33 cm (45 3/4 in)
19. Waistband length 66.33 cm (26 1/8 in)
20. Waistband elastic length 90.80 cm (35 3/4 in)

Paper Size: A4;
Print Actual Size (100% Scale);





FILED INTERFACING FOR WASTEBAND

5

CENTER
FRONT

+




2


PANTS BACK

MAIN FABRIC: cut 2


1/2




1/3



1/4




2/1




2/2

2/3

2/4



3/1




3/2



3/3

3/4




1

PANTS FRONT

MAIN FABRIC: Cut 2



4/1




4/2




4/3



4/4




5/1



5/2




5/3



5/4


6/1



6/2



6/3



6/4

7/1

4

WAISTBAND BACK
MAIN FABRIC: Cut 1

SIDE SEAM


3

WAISTBAND FRONT
MAIN FABRIC: Cut 1


FOLD

E SEAM

7/2




7/3




LINE



WAISTLINE



7/4



8/2

CE

WAISTLINE



8/3

SIDE
SEA

8/4