

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 92.75, Waist: 76.25, Hips: 100.25

Notes

How to print Printing


Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Seam Allowance: 1 (3/8 in)



Pattern pieces:


1. "PANTS FRONT", MAIN FABRIC: Cut 2
2. "PANTS BACK", MAIN FABRIC: Cut 2
3. "WAISTBAND", MAIN FABRIC: Cut 1
4. "FUSIBLE INTERFACING FOR WAISTBAND", FUSIBLE INTERFACING: Cut 1

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 0.92 none (3/8 in)
4. Stretch factor horizontal 0.92 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Low hips 53.03 cm (20 7/8 in)
7. Thigh 37.16 cm (14 5/8 in)
8. Knee 40.35 cm (15 7/8 in)
9. Bottom opening 44.98 cm (17 3/4 in)
10. Front rise 27.65 cm (10 7/8 in)
11. Back rise 38.78 cm (15 1/4 in)
12. Crotch height 27.64 cm (10 7/8 in)
13. Inseam length 56.03 cm (22 in)
14. Pants side seam length 83.93 cm (33 in)
15. Waistband width 3.30 cm (1 1/4 in)
16. Waistband elastic width 3.30 cm (1 1/4 in)
17. Eyelet diameter 0.70 cm (1/4 in)
18. Cord length 99.02 cm (39 in)
19. Waistband length 49.02 cm (19 1/4 in)
20. Waistband elastic length 63.40 cm (25 in)

The image shows a sewing pattern for a pair of pants, laid out on a grid. The pattern consists of three main pieces: the front (labeled 1), the back (labeled 2), and the waistband (labeled 3). The front piece (1) is a large rectangle with a curved waistline and a straight hem. The back piece (2) is a large rectangle with a curved waistline and a straight hem. The waistband piece (3) is a long, narrow strip with a fold line and a pocket opening. The pattern is labeled with 'PANTS FRONT', 'PANTS BACK', and 'PANTS WAISTBAND'. The waistband piece also includes a 'FOLD' line and a 'POCKET' opening. The pattern is laid out on a grid, with the waistband piece at the bottom and the front and back pieces above it. The grid lines are spaced at 1-inch intervals. The pattern is labeled with 'PANTS FRONT', 'PANTS BACK', and 'PANTS WAISTBAND'. The waistband piece also includes a 'FOLD' line and a 'POCKET' opening. The pattern is laid out on a grid, with the waistband piece at the bottom and the front and back pieces above it. The grid lines are spaced at 1-inch intervals. The pattern is labeled with 'PANTS FRONT', 'PANTS BACK', and 'PANTS WAISTBAND'. The waistband piece also includes a 'FOLD' line and a 'POCKET' opening.





A technical pattern diagram for the back of pants. It shows a large trapezoidal shape with a curved waistband at the top. The waistband has a central opening and two side flaps. The pattern is labeled with a large '2' in the center, indicating it is for two pieces. The text 'PANTS BACK' and 'MAIN FABRIC: Cut 2' is written on the left side. A dashed line indicates the cutting line. A small '1/2' is written near the top left corner. A vertical line is drawn at the bottom right corner.

2

PANTS BACK


MAIN FABRIC: Cut 2

1/2

1/3

1

PANTS FRONT



1/4


MAIN FABRIC: Cut 2



1/5


1/6

2/1




2/2

2/3



2/4

2/5




3/1

1

1

3/2






3/4

.

3/5



3/6

4/1

3

WAISTBAND
MAIN FABRIC: Cut 1
SIDE SEAM


4/2

ELASTIC: LENGTH 25" (63.5cm)

CENTER BACK

WAISTLINE

4/3



3.4) cm WIDTH 1 1/4" (3.3) cm

SIDE SEAM

FOLD

4/4



+

CENTER FRONT

4/5

+

WAISTLINE

