

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 82.5, Waist: 66, Hips: 90.25

Notes

How to print Printing


Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Seam Allowance: 1 (3/8 in)

Pattern pieces:

1. "PANTS FRONT", MAIN FABRIC: Cut 2
2. "PANTS BACK", MAIN FABRIC: Cut 2
3. "WAISTBAND", MAIN FABRIC: Cut 1
4. "FUSIBLE INTERFACING FOR WAISTBAND", FUSIBLE INTERFACING: Cut 1

Pattern Specs (Circumferences are divided by 2):


1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Stretch factor 0.92 none (3/8 in)
4. Stretch factor horizontal 0.92 none (3/8 in)
5. Stretch factor vertical 1.00 none (3/8 in)
6. Low hips 47.57 cm (18 3/4 in)
7. Thigh 33.13 cm (13 in)
8. Knee 36.30 cm (14 1/4 in)
9. Bottom opening 40.65 cm (16 in)
10. Front rise 26.14 cm (10 1/4 in)
11. Back rise 36.00 cm (14 1/8 in)
12. Crotch height 26.24 cm (10 3/8 in)
13. Inseam length 57.39 cm (22 5/8 in)
14. Pants side seam length 83.82 cm (33 in)
15. Waistband width 3.30 cm (1 1/4 in)
16. Waistband elastic width 3.30 cm (1 1/4 in)
17. Eyelet diameter 0.70 cm (1/4 in)
18. Cord length 93.60 cm (36 7/8 in)
19. Waistband length 43.60 cm (17 1/8 in)
20. Waistband elastic length 55.20 cm (21 3/4 in)


1
PANTS FRONT
MAIN FABRIC: Cut 2

2
PANTS BACK
MAIN FABRIC: Cut 2

3
PANTS WAISTBAND
ELASTIC: LENGTH 21 3/4" (55.2) cm WIDTH 1 1/4" (3.3) cm
FOLD
WAISTLINE
SIDE SEAM
CENTER FRONT
CENTER BACK

MAIN FABRIC: Cut 2





1/3

1


PANTS FRONT
MAIN FABRIC: Cut 2

1/4



1/5

2/1



2/2

2/3

1


2/4

2/5

—

—


3/1



3/2



3/3



3/4



3/5

1


4/1

3


WAISTBAND
MAIN FABRIC: Cut 1

SIDE SEAM



4/2



4/3



4/4



CENTER FRONT

WAISTLINE

4/5

