

Print this Calibration Test page first!

Size: Height: 167.75, Bust: 87.75, Waist: 71.25, Hips: 95.25

Notes

How to print Printing

Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.

Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Tapping

Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc. 2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Seam Allowance: 1 (3/8 in)


Pattern pieces:

1. "FRONT", MAIN FABRIC: Cut 2
2. "BACK", MAIN FABRIC: Cut 1
3. "FRONT NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 2
4. "BACK NECK FACING", MAIN FABRIC, FUSIBLE INTERFACING: Cut 1

Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 none (1 1/8 in)
2. Seam allowance max 2.00 none (3/4 in)
3. Seam allowance p max 1.50 none (5/8 in)
4. Stretch factor 1.00 none (3/8 in)
5. Stretch factor horizontal 1.00 none (3/8 in)
6. Stretch factor vertical 1.00 none (3/8 in)
7. Front neck drop 19.95 cm (7 7/8 in)
8. Button diameter 1.00 cm (3/8 in)
9. Front buttons quantity 6.00 pc
10. Across chest 46.62 cm (18 3/8 in)
11. Waist 37.72 cm (14 7/8 in)
12. Hips 50.96 cm (20 1/8 in)
13. Front length from HPS to hem 66.60 cm (26 1/4 in)
14. Center front length to hem 46.73 cm (18 3/8 in)
15. Center back length to hem 62.96 cm (24 3/4 in)
16. Across front 32.48 cm (12 3/4 in)
17. Across back 34.16 cm (13 1/2 in)
18. Across shoulders 39.32 cm (15 1/2 in)
19. Side seam 36.25 cm (14 1/4 in)
20. Hemline sweep 48.50 cm (19 1/8 in)
21. Armhole length front 19.98 cm (7 7/8 in)
22. Armhole length back 23.73 cm (9 3/8 in)
23. Neck opening 18.18 cm (7 1/8 in)
24. Neckline length 71.03 cm (28 in)
25. Back neck drop 4.79 cm (1 7/8 in)
26. Shoulder width 10.34 cm (4 1/8 in)
27. Bust dart to bust dart 22.57 cm (8 7/8 in)


Paper Size: LETTER;
Print Actual Size (100% Scale);




1/1

BACK

MAIN FABRIC: Cut 1





1/2




1/3

1







2/1






2/2



2/3



2/4




3/1



$3/2$




3/3



BACK NECK FAC
MAIN FABRIC: OAI
FUSIBLE INTERFACING

3/4



4/1



4/2

4/3

4/4

5/1

-

5/2


5/3

5/4

3



FRONT NECK FACING
MAIN FABRIC: Cut 2
FUSIBLE INTERFACING: Cut 2



6/1

6/2

6/3

6/4